

FOREST

FIRST STEP IN THE WILD

M I L L E 3 9 0



Luxury Style

MONDO PAVIMENTI SRL



INDICE

04 Introduction

06 Sustainability

10 Composition, finishes and selections

14 Mille390

www.luxurystylepavimenti.it

The images and descriptions in this catalogue are for illustrative purposes only and do not constitute a contractual obligation. Our company reserves the right to modify, without prior notice, the aesthetic and technical characteristics of the products shown. Any variations in colour, grain, or finish may result from the natural differences in the materials used.
Product of European origin, imported by Luxury Style



**ELEGANCE, AUTHENTICITY, AND
SUSTAINABILITY WITH EVERY
STEP.**

FIRST STEP IN THE WILD

FOREST Discover the essence of natural European parquet. Explore our catalogue — a curated collection designed to enrich your home with **style and personality**. Elegant lines and refined finishes come together to offer flooring that reflects your unique taste and enhances every space.

Excellence for professionals

Forest is the ideal choice for real estate professionals seeking premium solutions. Parquet, renowned for its ability to elevate both the value and aesthetics of a property, is an essential offering to meet the expectations of the most discerning clients.

Sustainability and guaranteed quality

Every detail of Forest parquet is crafted with utmost care — from cutting to finishing —

in compliance with the highest European standards for safety and quality. Its European origin ensures full control over the supply chain, delivering durable, certified flooring that lets you enjoy every space with peace of mind.

The perfect balance

Forest is born from the balance between excellence and affordability, offering products that combine superior quality with cost-consciousness.

The collection features three tones and three grades, with planks designed to create visual harmony and dynamic movement.

With Forest, natural beauty meets functionality — parquet that transforms any space into a unique and welcoming environment.

OUR PARQUET

Each product is born from a deep inspiration drawn from nature, with the aim of offering an **authentic and unique experience** that combines style, durability, and environmental responsibility.

Discover our collections and let yourself be embraced by the tranquillity that only natural wood can provide. With our parquet, **well-being and beauty come together**.



SUSTAINABILITY THAT FURNISHES

From the forests of southern Norway, we give new life to trees by transforming them into elegant wooden floors. For every tree used, we plant a new one, creating a virtuous cycle.

At the end of its life, the parquet can be recycled, completing the circle of sustainability.



SUSTAINABILITY AND CERTIFICATIONS

Our parquet is **crafted** exclusively from natural materials, reflecting our **deep commitment to environmental responsibility and sustainability**. We work with carefully selected suppliers who are dedicated to processing raw materials responsibly.


More than 95% of the wood used comes from **sustainably managed European forests**, certified according to **FSC™** standards, ensuring a production process that respects natural resources.

We believe in forest regeneration and actively collaborate with **reforestation programs** to preserve the balance between usage and renewal. Through ongoing dialogue with environmental organizations and investments in advanced technologies, we continually **reduce waste**

and enhance the sustainability of our production processes. Every component of our products is designed to **protect both the environment and human health**: adhesives and surface treatments are safe and free from harmful emissions.

Additionally, the use of **multi-layer construction allows for optimal resource use**, with noble wood reserved for the wear layer, while spruce and pine are used as the supporting structure. Even the wood chips generated during processing are repurposed to power heating systems, drying processes, and pellet production.

By choosing our parquet, you are contributing to a more sustainable future—without compromising on the beauty and comfort of a natural and refined environment.



FSC is an international certification specific to the forestry sector and to both wood and non-wood products derived from forests



CE marking is a mandatory conformity label for many products placed on the European Economic Area (EEA) market.




Swiss association “ecobau” evaluates construction products by their full life-cycle environmental impact.



EPD (Environmental Product Declaration) is a certified data on a product’s full environmental impact.



The low-emission and low-pollutant product label signifies a safer environment for customers and their families.



A French regulation introduced in 2011 requires that certain construction products be labeled with an emissions class



The most prestigious indoor air quality certification program for flooring materials.

BOARD COMPOSITION

(dimensions expressed in mm)

The **two-layer parquet** is best installed using the **glued-down method**, ensuring greater stability and a quieter step. Thanks to its **reduced thickness**, it offers excellent thermal efficiency, making it **ideal for installation over underfloor heating systems**. This type of parquet can also be easily laid over existing flooring or around fixed elements, without the need for expansion profiles and with minimal joints

We offer a two-layer parquet with a **click-lock system** — an excellent choice for creating modern, fresh environments.

Top layer in noble wood, this consists of high-quality solid wood, with a thickness of 3.5 mm. Premium woods such as **oak** provide elegance and durability.

The noble wood layer **can be sanded** multiple times, allowing the parquet to be restored to its original appearance even after years of use, thereby optimizing the use of natural resources. (a)

Base layer in spruce (red or white), only wood with vertical growth rings is used for the base layer, ensuring maximum dimensional stability and preventing issues such as shrinkage and warping. This guarantees a long-lasting product of superior quality. (b)



Matte wood finish: practicality and resistance

The varnished parquet features boards finished with multiple thin layers of **natural varnish**, typically between five and seven.

This special treatment creates a **protective film** that enhances the natural tones of the wood while shielding it from everyday wear and tear.

One of the main advantages of this finish is its **ability to prevent the infiltration of water** and moisture, making it ideal for spaces with higher exposure.

Additionally, varnished parquet is highly **practical**: the surface is less prone to dirt and can be easily cleaned with a damp cloth. **A functional and long-lasting option**, it combines aesthetic appeal with low-maintenance ease.



10,5x137x1390

SURFACE FINISHES AND GRADES

The Mille390 line is distinguished by its **brushed finish**, which enhances the natural texture of the wood, highlighting each grain for an exclusive visual impact and an elegant tactile sensation. The **beveled edges** add depth and definition to each plank, creating a **perfect balance between tradition and modernity**.

The authentic beauty of wood lies in its natural imperfections, which set it apart from artificial materials and elevate its intrinsic value. **Wood grading** is a useful tool

for understanding the **final appearance** of the flooring once installed. It is important to note that, according to industry standards, up to 3% of a supply may include a grade different from the one selected.

The Mille390 line offers a flexible selection divided into categories 24, 35, and 46, allowing for a **perfect match to the aesthetic and functional needs of any environment**. Discover the full characteristics of each subcategory and be inspired by the unique beauty of our collection.



24

Striped, wide striped, half-flame pattern, no knots.



35

Natural appearance with small to medium knots; color variations due to the presence of sapwood and heartwood



46

Flame pattern, including dark tones; large knots, including cracked ones; pronounced medullary rays and sapwood.

| Features | 24 | 35 | 46 |
|----------------------|---|---|---|
| Sound sapwood | max 6 mm width about entire lenght | max 6 mm width about entire lenght | max 6 mm width about entire lenght |
| Knots (solid closed) | up to 30 mm | up to 30 mm | ulimited |
| Edge Knots | up to 24 mm | up to 24 mm | up to 60 mm |
| Yellow discoloring | not permitted | not permitted | permitted |
| Cracks | not permitted | 7 up to 40 mm lenght, 4 mm width 3 up tp 170 mm lenght 6 mm width | 12 up to 120 mm lenght, 6 mm width 3 up to 360 mm lenght and 6 mm in width |
| Ingrown bark | not permitted | as cracks | as cracks |
| Lightning shake | not permitted | not permitted | not permitted |
| Curled pattern | permitted | permitted | permitted |
| Slope of grain | permitted are rift and semirift, medullary rays | permitted are rift and semirift, medullary rays | permitted are rift and semirift, medullary rays |
| Sound heartwood | not permitted | permitted | permitted |
| Colour variation | Permitted are colored striped in grain directio, discolorations caused by dryning process | Permitted are colored striped in grain directio, discolorations caused by dryning process | Permitted are colored striped in grain directio, discolorations caused by dryning process |
| Stacking marks | not permitted | not permitted | not permitted |
| Medullary ray | permitted | permitted | permitted |
| Biodeterioration | permitted | permitted | permitted |
| Insect holes | max 6 holes | max 6 holes | max 10 holes |

MILLE390

size: 10,5 x 137 x 1390 mm

noble wood layer th: approx 3,5 mm

filler colour: brown

surface: brushed

Colours

ALMOND

FLOUR

NATURAL

FLEXIBILITY AND DESIGN
WITHOUT COMPROMISE

MILLE390 planks offer a unique blend of **flexibility and style**, featuring on-trend colours that transform any interior into a captivating space. Ideal for all types of rooms, the 1390 x 137 mm size is particularly well-suited for smaller areas, creating a more **spacious and harmonious visual effect**. With a noble wood layer thickness of 3.5 mm, each plank reflects our commitment to nature by optimizing the use of natural resources and **ensuring long-term sustainability**.

The beveling along the longitudinal edges enhances the length of the planks, lending a generous sense of space to any setting. A **practical yet refined solution**, perfectly suited for installation over underfloor heating systems, it ensures optimal energy efficiency.



ALMOND
FLOUR
NATURAL



ALMOND
FLOUR
NATURAL



ALMOND
FLOUR
NATURAL





PT DOLCE VITA LIVING
MENARA SUNLIFE FLOOR 8/GH,
MEGA KUNINGAN, JAKARTA

info@dolcevitaliving.co



discover our website!
www.dolcevitaliving.co